

Article number	Model	Diameter	Pressure [bar]	Length [mm]	Weight [kg]
HD900030		DN 50 (od 63)	16	105	2,61
5007955		DN 50 (od 63)	16	105	2,61
HD90003016	outlet: 1" internal thread, RADIAL	DN 50 (od 63) / 1"	16	105	2,61
5007956	outlet: 1" internal thread, RADIAL	DN 50 (od 63) / 1"	16	105	2,61
HD91003023	outlet: 1 1/4" internal thread, AXIAL	DN 50 (od 63) / 1 1/4"	16	105	2,61
HD90003023	outlet: 1 1/4" internal thread, RADIAL	DN 50 (od 63) / 1 1/4"	16	105	2,61
5008009	outlet: 1 1/4" internal thread, AXIAL	DN 50 (od 63) / 1 1/4"	16	105	2,61
5007957	outlet: 1 1/4" internal thread, RADIAL	DN 50 (od 63) / 1 1/4"	16	105	2,61
HD91003027	outlet: 1 1/2" internal thread, AXIAL	DN 50 (od 63) / 1 1/2"	16	105	2,61
5008010	outlet: 1 1/2" internal thread, AXIAL	DN 50 (od 63) / 1 1/2"	16	105	2,61
HD91003030	outlet: 2" internal thread, AXIAL	DN 50 (od 63) / 2"	16	105	2,61
5008011	outlet: 2" internal thread, AXIAL	DN 50 (od 63) / 2"	16	105	2,61
HD900037		DN 65 (od 75)	16	140	3,31
5007958		DN 65 (od 75)	16	140	3,31
HD90003716	outlet: 1" internal thread, RADIAL	DN 65 (od 75) / 1"	16	140	3,31
5007959	outlet: 1" internal thread, RADIAL	DN 65 (od 75) / 1"	16	140	3,31
HD91003723	outlet: 1 1/4" internal thread, AXIAL	DN 65 (od 75) / 1 1/4"	16	140	3,31
HD90003723	outlet: 1 1/4" internal thread, RADIAL	DN 65 (od 75) / 1 1/4"	16	140	3,31
5008012	outlet: 1 1/4" internal thread, AXIAL	DN 65 (od 75) / 1 1/4"	16	140	3,31
5007960	outlet: 1 1/4" internal thread, RADIAL	DN 65 (od 75) / 1 1/4"	16	140	3,31
HD91003727	outlet: 1 1/2" internal thread, AXIAL	DN 65 (od 75) / 1 1/2"	16	140	3,31
5008013	outlet: 1 1/2" internal thread, AXIAL	DN 65 (od 75) / 1 1/2"	16	140	3,31
HD91003730	outlet: 2" internal thread, AXIAL	DN 65 (od 75) / 2"	16	140	3,31
5008014	outlet: 2" internal thread, AXIAL	DN 65 (od 75) / 2"	16	140	3,31

HD900039		DN 80 (od 90)	16	140	4,41
5007961		DN 80 (od 90)	16	140	4,41
HD90003916	outlet: 1" internal thread, RADIAL	DN 80 (od 90) / 1"	16	140	4,41
5007962	outlet: 1" internal thread, RADIAL	DN 80 (od 90) / 1"	16	140	4,41
HD91003923	outlet: 1 1/4" internal thread, AXIAL	DN 80 (od 90) / 1 1/4"	16	140	4,41
HD90003923	outlet: 1 1/4" internal thread, RADIAL	DN 80 (od 90) / 1 1/4"	16	140	4,41
5008015	outlet: 1 1/4" internal thread, AXIAL	DN 80 (od 90) / 1 1/4"	16	140	4,41
5007963	outlet: 1 1/4" internal thread, RADIAL	DN 80 (od 90) / 1 1/4"	16	140	4,41
HD91003927	outlet: 1 1/2" internal thread, AXIAL	DN 80 (od 90) / 1 1/2"	16	140	4,41
5008016	outlet: 1 1/2" internal thread, AXIAL	DN 80 (od 90) / 1 1/2"	16	140	4,41
HD91003930	outlet: 2" internal thread, AXIAL	DN 80 (od 90) / 2"	16	140	4,41
5008017	outlet: 2" internal thread, AXIAL	DN 80 (od 90) / 2"	16	140	4,41
HD900042		DN 100 (od 110)	16	160	6,46
5007964		DN 100 (od 110)	16	160	6,46
HD90004216	outlet: 1" internal thread, RADIAL	DN 100 (od 110) / 1"	16	160	6,46
5007965	outlet: 1" internal thread, RADIAL	DN 100 (od 110) / 1"	16	160	6,46
HD91004223	outlet: 1 1/4" internal thread, AXIAL	DN 100 (od 110) / 1 1/4"	16	160	6,46
HD90004223	outlet: 1 1/4" internal thread, RADIAL	DN 100 (od 110) / 1 1/4"	16	160	6,46
5008018	outlet: 1 1/4" internal thread, AXIAL	DN 100 (od 110) / 1 1/4"	16	160	6,46
5007966	outlet: 1 1/4" internal thread, RADIAL	DN 100 (od 110) / 1 1/4"	16	160	6,46
HD90004227	outlet: 1 1/2" internal thread, RADIAL	DN 100 (od 110) / 1 1/2"	16	160	6,46
5007967	outlet: 1 1/2" internal thread, RADIAL	DN 100 (od 110) / 1 1/2"	16	160	6,46
HD91004230	outlet: 2" internal thread, AXIAL	DN 100 (od 110) / 2"	16	160	6,46
HD90004230	outlet: 2" internal thread, RADIAL	DN 100 (od 110) / 2"	16	160	6,46
5008019	outlet: 2" internal thread, AXIAL	DN 100 (od 110) / 2"	16	160	6,46
5007968	outlet: 2" internal thread, RADIAL	DN 100 (od 110) / 2"	16	160	6,46

HD900044		DN 100 (od 125)	16	160	6,10
5007969		DN 100 (od 125)	16	160	6,10
HD90004416	outlet: 1" internal thread, RADIAL	DN 100 (od 125) / 1"	16	160	6,10
5007970	outlet: 1" internal thread, RADIAL	DN 100 (od 125) / 1"	16	160	6,10
HD90004427	outlet: 1 1/2" internal thread, RADIAL	DN 100 (od 125) / 1 1/2"	16	160	6,10
5007972	outlet: 1 1/2" internal thread, RADIAL	DN 100 (od 125) / 1 1/2"	16	160	6,10
HD91004430	outlet: 2" internal thread, AXIAL	DN 100 (od 125) / 2"	16	160	6,10
HD90004430	outlet: 2" internal thread, RADIAL	DN 100 (od 125) / 2"	16	160	6,10
5008020	outlet: 2" internal thread, AXIAL	DN 100 (od 125) / 2"	16	160	6,10
5007973	outlet: 2" internal thread, RADIAL	DN 100 (od 125) / 2"	16	160	6,10
HD900047		DN 125 (od 140)	16	170	7,24
5007974		DN 125 (od 140)	16	170	7,24
HD90004716	outlet: 1" internal thread, RADIAL	DN 125 (od 140) / 1"	16	170	7,24
5007975	outlet: 1" internal thread, RADIAL	DN 125 (od 140) / 1"	16	170	7,24
HD91004730	outlet: 2" internal thread, AXIAL	DN 125 (od 140) / 2"	16	170	7,24
HD90004730	outlet: 2" internal thread, RADIAL	DN 125 (od 140) / 2"	16	170	7,24
5008021	outlet: 2" internal thread, AXIAL	DN 125 (od 140) / 2"	16	170	7,24
5007977	outlet: 2" internal thread, RADIAL	DN 125 (od 140) / 2"	16	170	7,24
HD900049		DN 150 (od 160)	16	180	9,25
5007978		DN 150 (od 160)	16	180	9,25
HD90004916	outlet: 1" internal thread, RADIAL	DN 150 (od 160) / 1"	16	180	9,25
5007979	outlet: 1" internal thread, RADIAL	DN 150 (od 160) / 1"	16	180	9,25
HD90004923	outlet: 1 1/4" internal thread, RADIAL	DN 150 (od 160) / 1 1/4"	16	180	9,25
5007980	outlet: 1 1/4" internal thread, RADIAL	DN 150 (od 160) / 1 1/4"	16	180	9,25
HD90004927	outlet: 1 1/2" internal thread, RADIAL	DN 150 (od 160) / 1 1/2"	16	180	9,25
5007981	outlet: 1 1/2" internal thread, RADIAL	DN 150 (od 160) / 1 1/2"	16	180	9,25

HD91004930	outlet: 2" internal thread, AXIAL	DN 150 (od 160) / 2"	16	180	9,25
HD90004930	outlet: 2" internal thread, RADIAL	DN 150 (od 160) / 2"	16	180	9,25
5008022	outlet: 2" internal thread, AXIAL	DN 150 (od 160) / 2"	16	180	9,25
5007983	outlet: 2" internal thread, RADIAL	DN 150 (od 160) / 2"	16	180	9,25
HD900050		DN 150 (od 180)	16	190	11,70
5007985		DN 150 (od 180)	16	190	11,70
HD90005016	outlet: 1" internal thread, RADIAL	DN 150 (od 180) / 1"	16	190	11,70
5007986	outlet: 1" internal thread, RADIAL	DN 150 (od 180) / 1"	16	190	11,70
HD90005027	outlet: 1 1/2" internal thread, RADIAL	DN 150 (od 180) / 1 1/2"	16	190	11,70
5007987	outlet: 1 1/2" internal thread, RADIAL	DN 150 (od 180) / 1 1/2"	16	190	11,70
HD91005030	outlet: 2" internal thread, AXIAL	DN 150 (od 180) / 2"	16	190	11,70
HD90005030	outlet: 2" internal thread, RADIAL	DN 150 (od 180) / 2"	16	190	11,70
5008023	outlet: 2" internal thread, AXIAL	DN 150 (od 180) / 2"	16	190	11,70
5007988	outlet: 2" internal thread, RADIAL	DN 150 (od 180) / 2"	16	190	11,70
HD90005516	outlet: 1" internal thread, RADIAL	DN 200 (od 200) / 1"	16	205	14,50
5007990	outlet: 1" internal thread, RADIAL	DN 200 (od 200) / 1"	16	205	14,50
HD90005523	outlet: 1 1/4" internal thread, RADIAL	DN 200 (od 200) / 1 1/4"	16	205	14,50
5007991	outlet: 1 1/4" internal thread, RADIAL	DN 200 (od 200) / 1 1/4"	16	205	14,50
HD91005530	outlet: 2" internal thread, AXIAL	DN 200 (od 200) / 2"	16	205	14,50
HD90005530	outlet: 2" internal thread, RADIAL	DN 200 (od 200) / 2"	16	205	14,50
5008024	outlet: 2" internal thread, AXIAL	DN 200 (od 200) / 2"	16	205	14,50
5007992	outlet: 2" internal thread, RADIAL	DN 200 (od 200) / 2"	16	205	14,50
HD900056		DN 200 (od 225)	16	205	16,50
5007993		DN 200 (od 225)	16	205	16,50
HD90005616	outlet: 1" internal thread, RADIAL	DN 200 (od 225) / 1"	16	205	16,50
5007994	outlet: 1" internal thread, RADIAL	DN 200 (od 225) / 1"	16	205	16,50

HD90005627	outlet: 1 1/2" internal thread, RADIAL	DN 200 (od 225) / 1 1/2"	16	205	16,50
5007996	outlet: 1 1/2" internal thread, RADIAL	DN 200 (od 225) / 1 1/2"	16	205	16,50
HD91005630	outlet: 2" internal thread, AXIAL	DN 200 (od 225) / 2"	16	205	16,50
HD90005630	outlet: 2" internal thread, RADIAL	DN 200 (od 225) / 2"	16	205	16,50
5008025	outlet: 2" internal thread, AXIAL	DN 200 (od 225) / 2"	16	205	16,50
5007997	outlet: 2" internal thread, RADIAL	DN 200 (od 225) / 2"	16	205	16,50
HD90006216	outlet: 1" internal thread, RADIAL	DN 250 (od 250) / 1"	16	225	20,50
5007999	outlet: 1" internal thread, RADIAL	DN 250 (od 250) / 1"	16	225	20,50
HD91006230	outlet: 2" internal thread, AXIAL	DN 250 (od 250) / 2"	16	225	20,50
HD90006230	outlet: 2" internal thread, RADIAL	DN 250 (od 250) / 2"	16	225	20,50
5008026	outlet: 2" internal thread, AXIAL	DN 250 (od 250) / 2"	16	225	20,50
5008000	outlet: 2" internal thread, RADIAL	DN 250 (od 250) / 2"	16	225	20,50
HD90006316	outlet: 1" internal thread, RADIAL	DN 250 (od 280) / 1"	16	230	24,06
5008003	outlet: 1" internal thread, RADIAL	DN 250 (od 280) / 1"	16	230	24,06
HD90006330	outlet: 2" internal thread, RADIAL	DN 250 (od 280) / 2"	16	230	24,06
HD91006330	outlet: 2" internal thread, AXIAL	DN 250 (od 280) / 2"	16	230	24,06
5008027	outlet: 2" internal thread, AXIAL	DN 250 (od 280) / 2"	16	230	24,06
5008004	outlet: 2" internal thread, RADIAL	DN 250 (od 280) / 2"	16	230	24,06
HD90006716	outlet: 1" internal thread, RADIAL	DN 300 (od 315) / 1"	16	255	33,50
5008007	outlet: 1" internal thread, RADIAL	DN 300 (od 315) / 1"	16	255	33,50
HD91006730	outlet: 2" internal thread, AXIAL	DN 300 (od 315) / 2"	16	255	33,50
HD90006730	outlet: 2" internal thread, RADIAL	DN 300 (od 315) / 2"	16	255	33,50
5008028	outlet: 2" internal thread, AXIAL	DN 300 (od 315) / 2"	16	255	33,50
5008008	outlet: 2" internal thread, RADIAL	DN 300 (od 315) / 2"	16	255	33,50

